according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : B002-K30 hebro®HB-110 B

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaner for professional application in industry and trade

stance/Mixture

Contact person

Telephone Telefax

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group

GmbH

Rostocker Str. 40

41199 Mönchengladbach : Zentrale hebro chemie : +49 (0) 2166 6009-0 : +49 (0) 2166 6009-99

Contact person product safety
Telephone
: +49(0)2166 6009-311
E-mail address
: msds.de@hebro-chemie.de

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:

+49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.

Skin corrosion, Category 1 H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Danger

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

B002-K30 hebro®HB-110 B



Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Hazard statements : H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements : Prevention:

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin with

water.

P304 + P340 + P310 IF INHALED: Remove person to fresh

air and keep comfortable for breathing. Immedi-

ately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously

with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P390 Absorb spillage to prevent material damage.

Hazardous components which must be listed on the label:

Formic Acid

Orthophosphoric acid

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(dodecylimino)di-2,1-ethanediyl]bis(.omega.-

hydroxy)-

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Water based acid cleaner with anionic and nonionic surfac-

tants.

Components

Components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Formic Acid	64-18-6	Flam. Liq. 3; H226	>= 10 - < 25
	200-579-1	Acute Tox. 4; H302	
	607-001-00-0	Acute Tox. 3; H331	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

151011. 1.25	Nevision Date. 25.01.20		.6. 24.01.2023
	01-2119491174-37	Skin Corr. 1A; H314 Eye Dam. 1; H318	
		specific concentration limit Skin Corr. 1A; H314 >= 90 % Skin Corr. 1B; H314 10 - < 90 % Skin Irrit. 2; H315 2 - < 10 % Eye Irrit. 2; H319 2 - < 10 %	
Orthophosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 10 - < 25
		specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	
2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	112-34-5 203-961-6 603-096-00-8 01-2119475104-44	Eye Irrit. 2; H319	>= 2.5 - < 10
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(dodecylimino)di- 2,1-ethanediyl]bis(.omega hydroxy)-	31017-83-1	Aquatic Chronic 3; H412 Acute Tox. 4; H302 Eye Dam. 1; H318 Aquatic Acute 1; H400	>= 1 - < 2.5
Dibutyl hydrogen phosphate	107-66-4 203-509-8 01-2119974583-26	Skin Corr. 1A; H314 Carc. 2; H351	>= 0.1 - < 1
Substances with a workplace exposure limit :			
Hydrochloric acid	7647-01-0 231-595-7 017-002-01-X 01-2119484862-27	M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 2.5 - < 10
		specific concentration limit Skin Corr. 1B; H314 >= 25 % Skin Irrit. 2; H315 10 - < 25 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Eye Irrit. 2; H319
10 - < 25 %
STOT SE 3; H335
>= 10 %
STOT SE 3; H335
>= 10 %
Skin Corr. 1B; H314
>= 25 %

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : First aider needs to protect himself.

Move out of dangerous area.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Take off all contaminated clothing immediately.

After contact with skin, wash immediately with plenty of water.

If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Call a physician immediately.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye damage.

Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam

Carbon dioxide (CO2)

Dry powder Water mist

Unsuitable extinguishing

media

: High volume water jet

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: The product is not flammable.

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essary.

Specific extinguishing meth- : Use water spray to cool unopened containers.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective clothing, gloves and eye/face protec-

tion.

Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions Inform the relevant authorities if it enters sewers, aquatic envi-

ronment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Contain spillage, soak up with non-combustible absorbent

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Keep up mechanically and dispose according to local regula-

tions.

Suitable material for dilution or neutralization

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling Provide sufficient air exchange and/or exhaust in work rooms.

Have eye wash bottle or eye rinse ready at the work place.

Avoid contact with skin and eyes.

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep only in the original container. Plastic container Contain-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie

B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

areas and containers ers which are opened must be carefully resealed and kept

upright to prevent leakage.

Further information on stor-

age conditions

: Protect from frost.

Advice on common storage : Incompatible with bases.

Recommended storage tem: :

perature

5 - 40 °C

7.3 Specific end use(s)

Specific use(s) : Cleaner for professional application in industry and trade

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Formic Acid	64-18-6	TWA	5 ppm 9.6 mg/m3	GB EH40
Orthophosphoric acid	7664-38-2	TWA	1 mg/m3	GB EH40
		STEL	2 mg/m3	GB EH40
2-(2- Butoxyeth- oxy)ethanol; dieth- ylene glycol mono- butyl ether	112-34-5	TWA	10 ppm 67.5 mg/m3	GB EH40
		STEL	15 ppm 101.2 mg/m3	GB EH40
Hydrochloric acid	7647-01-0	TWA (Gas and aerosol mists)	1 ppm 2 mg/m3	GB EH40
		STEL (Gas and aerosol mists)	5 ppm 8 mg/m3	GB EH40
Dibutyl hydrogen phosphate	107-66-4	STEL	2 ppm 17 mg/m3	GB EH40
		TWA	1 ppm 8.7 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Formic Acid	Workers	Inhalation	Long-term local ef- fects	9.5 mg/m3
	Workers	Inhalation	Long-term systemic effects	9.5 mg/m3
2-(2- Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Workers	Inhalation	Long-term systemic effects	67.5 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

	Workers	Inhalation	Long-term local ef- fects	67.5 mg/m3
	Workers	Inhalation	Acute local effects	101.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
Hydrochloric acid	Workers	Inhalation	Long-term local ef- fects	8 mg/m3
	Workers	Inhalation	Acute local effects	15 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment Value	
Formic Acid	Fresh water	2 mg/l
	Marine water	0.2 mg/l
	Sewage treatment plant	7.2 mg/l
	Fresh water sediment 13.4 m	
	Marine sediment 1.34 mg/	
	Soil	1.5 mg/kg
2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Fresh water	1 mg/l
	Marine water	0.4 mg/l
	Estuary sediment	4 mg/l
Hydrochloric acid	Fresh water	36 μg/L
	Marine water	36 μg/L
	Sewage treatment plant	36 μg/L

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Face-shield

Hand protection

Material : Protective gloves complying with EN 374.

Break through time : > 60 min Protective index : Class 3

Material : Nitrile rubber Glove thickness : 0.4 mm

Material : butyl-rubber Glove thickness : 0.5 mm

Remarks : The choice of an appropriate glove does not only depend on

its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this

has to be observed.

Skin and body protection : Chemical resistant protective clothing according to DIN EN

13034 (Type 6) Long sleeved clothing Chemical resistant apron

Respiratory protection : If product forms vapours or aerosols wear breathing protec-

tion.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Filter type : Combined particulates, acidic gas/vapour and organic vapour

type (AE-P)

Protective measures : When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : green

Odour : stinging

Melting point/freezing point : not determined

Boiling point/boiling range : > 100 °C

Method: DIN 51751

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Flash point : > 100 °C

Auto-ignition temperature : not determined

pH : 1.8 (20 °C)

Concentration: 10 g/l

Viscosity

Viscosity, kinematic : similar to water

Solubility(ies)

Water solubility : 1,000 g/l completely soluble

Partition coefficient: n-

octanol/water

: Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie chemistry

B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Vapour pressure : 28 hPa (20 °C)

Information taken from reference works and the literature.

Density : 1.11 g/cm³ (20 °C)

Method: DIN 51757

Relative vapour density : not determined

9.2 Other information

Explosives : No data available

Metal corrosion rate : Corrosive to metals

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Product is stable under appropriate usage.

10.5 Incompatible materials

Materials to avoid : Bases

10.6 Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 h
Test atmosphere: vapour

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Method: Calculation method

Components:

Formic Acid:

Acute oral toxicity : LD50 (Rat): 730 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 7.85 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Orthophosphoric acid:

Acute oral toxicity : LD50 (Rat): > 300 mg/kg

Method: OECD Test Guideline 423

2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether:

Acute oral toxicity : LD50 (Rat): 3,384 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,700 mg/kg

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(dodecylimino)di-2,1-ethanediyl]bis(.omega.-

hydroxy)-:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg

Method: OECD Test Guideline 401

Hydrochloric acid:

Acute dermal toxicity : LD50 (Rabbit): > 5,010 mg/kg

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Hydrochloric acid:

Genotoxicity in vitro : Test Type: Ames test

Remarks: In vitro tests did not show mutagenic effects

Germ cell mutagenicity- As- : Not mutagenic in Ames Test

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie bro

B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

sessment

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen.

Components:

Hydrochloric acid:

Carcinogenicity - Assess-

ment

Carcinogenicity classification not possible from current data.

Reproductive toxicity

Not classified due to lack of data.

Components:

Hydrochloric acid:

Reproductive toxicity - As-

sessment

Fertility classification not possible from current data.

Embryotoxicity classification not possible from current data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for human health

according to UK REACH Article 57(f),

Further information

Product:

Remarks : If swallowed, severe burns in the oral cavity and throat as well

as danger of perforation of the digestive tract and stomach.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

SECTION 12: Ecological information

12.1 Toxicity

Components:

Formic Acid:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 46 - < 100 mg/l

Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 34.2 mg/l

Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): >= 102 mg/l

Exposure time: 21 d Test Type: static test

Toxicity to algae/aquatic

plants

EC50 (Selenastrum capricornutum (green algae)): 32.64 mg/l

Exposure time: 72 h Test Type: static test

Toxicity to microorganisms : EC50 (Pseudomonas putida): 46.7 mg/l

Exposure time: 17 h

Orthophosphoric acid:

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 2,750 mg/l

Exposure time: 48 h Method: DIN 38412

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 2,850 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(dodecylimino)di-2,1-ethanediyl]bis(.omega.-

hydroxy)-:

Toxicity to fish LC50 (Brachydanio rerio (Zebra danio)): > 0.1 - 1 mg/l

> Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus): > 0.1 - 1 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10,000 mg/l

Hydrochloric acid:

Toxicity to fish LC50 (Lepomis macrochirus (Bluegill sunfish)): 20.5 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.45 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Chlorella vulgaris (Fresh water algae)): 0.73 mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1

icity)

: EC50 (activated sludge): 0.23 mg/l Toxicity to microorganisms

Method: OECD Test Guideline 209

M-Factor (Chronic aquatic

toxicity)

: 1

12.2 Persistence and degradability

Product:

Biodegradability Remarks: No data available

Components:

Formic Acid:

Biochemical Oxygen De-

mand (BOD)

86 mg/g

Chemical Oxygen Demand

(COD)

348 mg/g

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(dodecylimino)di-2,1-ethanediyl]bis(.omega.hydroxy)-:

Biodegradation: > 60 % Biodegradability

Exposure time: 28 d

Method: OECD Test Guideline 301B Remarks: Readily biodegradable.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a

detergent manufacturer.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Mobility Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

This substance/mixture contains no components considered Assessment

> to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

mation

Additional ecological infor- : Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of in accordance with local regulations.

Do not let product enter drains.

Do not dispose of with domestic refuse.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie A brand of BASF – we create chemistry

B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Contaminated packaging : Dispose of in accordance with local regulations.

Waste Code : Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1760
RID : UN 1760
IMDG : UN 1760
IATA : UN 1760

14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, N.O.S.

(Formic Acid, Orthophosphoric acid)

RID : CORROSIVE LIQUID, N.O.S.

(Formic Acid, Orthophosphoric acid)

IMDG : CORROSIVE LIQUID, N.O.S.

(Formic Acid, Orthophosphoric acid)

IATA : Corrosive liquid, n.o.s.

(Formic Acid, Orthophosphoric acid)

14.3 Transport hazard class(es)

Class Subsidiary risks

ADR : 8
RID : 8
IMDG : 8
IATA : 8

14.4 Packing group

ADR

Packing group : II
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID

Packing group : II
Classification Code : C9
Hazard Identification Number : 80
Labels : 8

IMDG

Packing group : II Labels : 8

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie A brand of BASE – we create chemistry

B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

EmS Code : F-A, S-B

Remarks : Acids, Clear of living quarters.

IATA (Cargo)

Packing instruction (cargo : 855

aircraft)

Packing instruction (LQ) : Y840
Packing group : II

Labels : Corrosives

IATA P (Passenger)

Packing instruction (passen- : 851

ger aircraft)

Packing instruction (LQ) : Y840 Packing group : II

Labels : Corrosives

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the fol-

lowing entries should be considered:

Number on list 3

Number on list 55: 2-(2-

Butoxyethoxy)ethanol; diethylene

glycol monobutyl ether

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Regulation (EC) on substances that deplete the ozone : Not applicable

layer

UK REACH List of substances subject to authorisation

(Annex XIV)

GB Export and import of hazardous chemicals - Prior

Informed Consent (PIC) Regulation

Not applicable

: Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226 Flammable liquid and vapour. H290 May be corrosive to metals. Harmful if swallowed. H302

H314 Causes severe skin burns and eye damage.

Causes serious eye damage. H318 Causes serious eye irritation. H319

Toxic if inhaled. H331

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. Acute toxicity

Aquatic Acute Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aquatic Chronic

Carcinogenicity Carc. Eye Dam. Serious eye damage Eye Irrit. Eye irritation Flam. Liq. Flammable liquids Met. Corr. Corrosive to metals Skin Corr. Skin corrosion

UK. EH40 WEL - Workplace Exposure Limits GB EH40

Long-term exposure limit (8-hour TWA reference period) GB EH40 / TWA GB EH40 / STEL Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws.

Regional or national implementations of GHS may not implement all hazard classes and categories.

Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) no component is listed

No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACh (Annex XVII).

Classification of the mixture:

Classification procedure:

Met. Corr. 1	H290	Based on product data or assessment
Skin Corr. 1	H314	Based on product data or assessment
Eye Dam. 1	H318	Based on product data or assessment

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



B002-K30 hebro®HB-110 B

Version: 1.25 Revision Date: 23.01.2025 Print Date: 24.01.2025

GB / EN