

Version: 3.4	Revision Date: 08.02.2018	Print Date: 15.02.2018
SECTION 1: Identification of the	e substance/mixture and of the	company/undertaking
1.1 Product identifier		
Trade name	: B007-K30 hebro®HB-120 EP	
1.2 Relevant identified uses of the	substance or mixture and uses ac	dvised against
Use of the Sub- stance/Mixture	: Cleaner (decalcifying)	
1.3 Details of the supplier of the sa	fety data sheet	
Company	: hebro chemie- ZN der Ro GmbH Rostocker Str. 40 41199 Mönchengladbach	
Contact person	: Wolfgang Schaffers	
Telephone	: +49 (0) 2166 6009-0	
Telefax	: +49 (0) 2166 6009-99	
Contact person product safety Telephone E-mail address Contact person product safety Telephone E-mail address	Abteilung Produktsicherhe +49(0)2166 6009-311 msds.de@hebro-chemie.c Zentrale hebro chemie +49(0)2166 6009-0 :	

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt: +49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Skin corrosion, Category 1A	H314: Causes severe skin burns and eye damage.
Acute aquatic toxicity, Category 1	H400: Very toxic to aquatic life.
Chronic aquatic toxicity, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)



Version: 3.4		Revision Date: 08.02.2018 Print Date: 15.02.2018		
Hazard pictograms	:			
Signal word	:	Danger		
Hazard statements	:	H290 May be corrosive to metals.H314 Causes severe skin burns and eyH410 Very toxic to aquatic life with long		
Precautionary statements	:	Prevention:		
		P262 Do not get in eyes, on skin, or onP273 Avoid release to the environmentP280 Wear protective gloves/ protectivetion/ face protection.		
		Response:		
		 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. 		

Hazardous components which must be listed on the label: Quaternary ammonium compound, alkyl (C12-C16) dimethyl benzyl ammonium chloride

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Acid cleander and disinfectant as aqueous solution of acids, cationic and nonionic tensides

Hazardous	components
i lazai ao ao	oomponomo

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (% w/w)
Orthophosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Note B	>= 10 - < 25
Formic Acid	64-18-6	Flam. Liq. 3; H226	>= 2.5 - < 3



sion: 3.4	Revision Date: 08.02.2	018 Print Da	te: 15.02.201
Quaternary ammonium com- pound, alkyl (C12-C16) dimethyl benzyl ammonium chloride	200-579-1 01-2119491174-37 Not Assigned 01-2119965180-41	Acute Tox. 4; H302 Acute Tox. 3; H331 Skin Corr. 1A; H314 Eye Dam. 1; H318 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor Acute aquatic toxicity:10 M-Factor Chronic	>= 2.5 - <
Hydrochloric acid	7647-01-0 231-595-7 01-2119484862-27	aquatic toxicity:1 Met. Corr. 1; H290 Skin Corr. 1B; H314 STOT SE 3; H335 Note B	>= 2.5 - <

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Take off all contaminated clothing immediately. After contact with skin, wash immediately with plenty of soap and water.
In case of eye contact	 In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately. If eye irritation persists, consult a specialist.
If swallowed	 Rinse mouth with water. Do NOT induce vomiting. If symptoms persist, call a physician.
4.2 Most important symptoms	and effects, both acute and delayed
Symptoms	: Erythema Blistering Pain
Risks	: corrosive effects
4.3 Indication of any immedia	te medical attention and special treatment needed

Treatment

: Treat symptomatically.



Version: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
		For specialist advice physicians shou Information Service.	Ild contact the Poisons
SECTION 5: Firefighting meas	ur	es	
5.1 Extinguishing media			
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry powder Water mist	
Unsuitable extinguishing media	:	High volume water jet	
5.2 Special hazards arising from t	the	substance or mixture	
Specific hazards during fire- fighting	:	Hazardous decomposition products f tions. Carbon dioxide (CO2) Carbon monoxide Exposure to decomposition products health. May react strongly with amphoter me zinc,): forms Hydrogen (Combustib	may be a hazard to etals (aluminium, lead,
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	Wear self-contained breathing appare	atus for firefighting if nec-
Further information	:	The product itself does not burn. Use water spray to cool unopened co Fire residues and contaminated fire e be disposed of in accordance with loo	extinguishing water must

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	tive	e equipment and emergency procedures
Personal precautions	:	Wear suitable protective clothing, gloves and eye/face protec- tion. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.
6.2 Environmental precautions		
Environmental precautions	:	Inform the relevant authorities if it enters sewers, aquatic envi- ronment or soil.
6.3 Methods and material for cont	tai	nment and cleaning up
Methods for cleaning up	:	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).



Version: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
		Keep up mechanically and dispose actions. Neutralize with lime milk or soda and f ter. Contaminated surfaces will be extreme	lush with plenty of wa-
6.4 Reference to other sections			
See chapter 8 and 13			
SECTION 7: Handling and stor	ag	le	
7.1 Precautions for safe handling			
Advice on safe handling	:	Product is used in dilutions with water Have eye wash bottle or eye rinse read Avoid contact with skin and eyes.	dy at the work place.
Advice on protection against fire and explosion	:	Normal measures for preventive fire pr	rotection.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities	
Requirements for storage areas and containers	:	Keep only in the original container. Pla ers which are opened must be carefull upright to prevent leakage.	
Further information on stor- age conditions	:	Protect from frost.	
Advice on common storage	:	Incompatible with bases.	
7.3 Specific end use(s)			
Specific use(s)	:	Cleaner (decalcifying)	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Orthophosphoric acid	7664-38-2	TWA	1 mg/m3	2000/39/EC
Further information	Indicative			
		STEL	2 mg/m3	2000/39/EC
Further information	Indicative			
		TWA	1 mg/m3	GB EH40
		STEL	2 mg/m3	GB EH40
Formic Acid	64-18-6	TWA	5 ppm 9 mg/m3	2006/15/EC
Further information	Indicative			



Version: 3.4		Revision Date: 08.02	Print Date: 15.02.2018	
		TWA	5 ppm 9.6 mg/m3	GB EH40
Further information		ecific short-term exposure should be use		, a figure three times the
Hydrochloric acid	7647-01-0	TWA	5 ppm 8 mg/m3	2000/39/EC
Further information	Indicative	·		
		STEL	10 ppm 15 mg/m3	2000/39/EC
Further information	Indicative	•	·	·
		TWA (Gas and aerosol mists)	1 ppm 2 mg/m3	GB EH40
		STEL (Gas and aerosol mists)	5 ppm 8 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Orthophosphoric acid	Workers	Inhalation	Long-term local ef- fects	2.92 mg/m3
Formic Acid	Workers	Inhalation	Long-term local ef- fects	9.5 mg/m3
	Workers	Inhalation	Long-term systemic effects	9.5 mg/m3
Quaternary ammonium compound, alkyl (C12- C16) dimethyl benzyl ammonium chloride	Workers	Inhalation	Long-term systemic effects	3.96 mg/m3
	Workers	Skin contact	Long-term systemic effects	5.7 mg/kg bw/day
Hydrochloric acid	Workers	Inhalation	Long-term local ef- fects	8 mg/m3
	Workers	Inhalation	Acute local effects	15 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Formic Acid	Fresh water	2 mg/l
	Marine water	0.2 mg/l
	Sewage treatment plant	7.2 mg/l
	Fresh water sediment	13.4 mg/kg
	Marine sediment	1.34 mg/kg
	Soil	1.5 mg/kg
Quaternary ammonium com- pound, alkyl (C12-C16) dimethyl benzyl ammonium chloride	Fresh water	0.0009 mg/l
	Marine water	0.00096 mg/l
	Sewage treatment plant	0.4 mg/l
	Intermittent use/release	0.00016 mg/l
	Fresh water sediment	12.27 mg/kg
	Marine sediment	13.09 mg/kg
	Soil	7 mg/kg
Hydrochloric acid	Fresh water	36 µg/L
	Marine water	36 µg/L
	Sewage treatment plant	36 µg/L



Version: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
8.2 Exposure controls			
Personal protective equipr	ment		
Eye protection	:	Face-shield Safety glasses with side-shields conforming to EN166	
Hand protection			
Material	:	Chemical resistant gloves made of the ber category III according to EN 374	
Remarks	:	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.	
Skin and body protection	:	Long sleeved clothing Chemical resistant apron	
Respiratory protection	:	Use respirator when performing ope exposure to vapour of the product.	rations involving potential
Protective measures	:	Follow the skin protection plan.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance		liquid
Colour	:	green
Odour	:	like lemon
Odour Threshold	:	No data available
рН	:	1.9 (20 °C) Concentration: 10 g/l
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	100 °C
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	23.0 hPa (20 °C) Information taken from reference works and the literature.



Version: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	1.11 g/cm³ (20 °C) Method: DIN 51757	
Solubility(ies) Water solubility	:	1,000 g/l completely soluble	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity, dynamic	:	No data available	
Viscosity, kinematic	:	No data available	
Flow time	:	No data available	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	

9.2 Other information

Other physico-chemical properties: This information is not available/not determined.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous re	eactio	ns
Hazardous reactions	:	No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Product is stable under appropriate usage.
10.5 Incompatible materials		

Materials to avoid : Bases



ersion: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
0.6 Hazardous decomposition No data available	n pro	ducts	
ECTION 11: Toxicological	info	rmation	
1.1 Information on toxicologic	cal e	fects	
Acute toxicity			
Product:			
Acute oral toxicity	:	Acute toxicity estimate: > 2,000 m Method: Calculation method	g/kg
Acute inhalation toxicity	:	Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method	
Acute toxicity			
Components:			
Orthophosphoric acid:			
Acute oral toxicity	:	LD50 (Rat): > 300 mg/kg Method: OECD Test Guideline 42	3
Formic Acid:			
Acute oral toxicity	:	LD50 (Rat): 730 mg/kg Method: OECD Test Guideline 40	1
Quaternary ammonium co	mpo	und, alkyl (C12-C16) dimethyl ber	nzyl ammonium chloride:
Acute oral toxicity	:	LD50 (Rat): > 300 - 2,000 mg/kg Method: OECD Test Guideline 40	1
Hydrochloric acid:			
Acute dermal toxicity	:	LD50 (Rabbit): > 5,010 mg/kg	
Skin corrosion/irritation			
Product:			
Remarks: Causes severe bu	urns.		
Serious eye damage/eye ir	rritat	ion	
<u>Product:</u> Remarks: Causes serious e	ye da	image.	
Respiratory or skin sensit	isati	on	
Product:			

Remarks: This information is not available.



ion: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.
Germ cell mutagenicity			
Product: Based on available data, the	clas	sification criteria are not met.	
Germ cell mutagenicity			
Components:			
Quaternary ammonium con	npo	und, alkyl (C12-C16) dimethyl ber	nzyl ammonium chlorid
Genotoxicity in vitro	:	Test Type: Ames test Method: OECD Test Guideline 47 Result: negative	1
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative	4
Hydrochloric acid:			
Genotoxicity in vitro	:	Test Type: Ames test Remarks: In vitro tests did not sho	w mutagenic effects
Germ cell mutagenicity- As- sessment	:	Not mutagenic in Ames Test	
Carcinogenicity			
Product:			
Carcinogenicity - Assess- ment	:	Not classifiable as a human carcir	logen.
Carcinogenicity			
Components:			
Hydrochloric acid: Carcinogenicity - Assess- ment	:	Carcinogenicity classification not p	possible from current da
Reproductive toxicity			
Product: Based on available data, the	clas	sification criteria are not met.	
Reproductive toxicity			
Components:			
Hydrochloric acid: Effects on fertility	:	Remarks: Animal testing did not s	how any effects on fertil
Effects on foetal develop-	:	Remarks: This information is not a	vailable.



Version: 3.4	Revision Date: 08.02.2018	Print Date: 15.02.2018
Reproductive toxicity - As- sessment	: Fertility classification not possible Embryotoxicity classification not po	

STOT - single exposure

Product:

Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks: If swallowed, severe burns in the oral cavity and throat as well as danger of perforation of the digestive tract and stomach.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Ecotoxicology studies for the product are not available.

Components:

Orthophosphoric acid: Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Formic Acid:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 46 - < 100 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 34.2 mg/l Exposure time: 48 h
		NOEC (Daphnia magna (Water flea)): >= 102 mg/l Exposure time: 21 d



sion: 3.4		Revision Date: 08.02.2018 Print Date: 15.02.207
		Test Type: static test
Toxicity to algae	:	EC50 (Selenastrum capricornutum (green algae)): 32.64 mg/ Exposure time: 72 h Test Type: static test
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 46.7 mg/l Exposure time: 17 h
Quaternary ammonium com	ιροι	und, alkyl (C12-C16) dimethyl benzyl ammonium chloride:
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0.1 - 1 mg/ Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.0 - 0.1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.001 - 0.01 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: > 0.01 - 0.1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	1
Hydrochloric acid:		
Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 20.5 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.45 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 0.73 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (activated sludge): 0.23 mg/l Method: OECD Test Guideline 209



Version: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
12.2 Persistence and degradabi	ility		
Product:		Demodus No data available	
Biodegradability	·	Remarks: No data available	
Components:			
Formic Acid:			
Biochemical Oxygen De- mand (BOD)	:	86 mg/g	
Chemical Oxygen Demand (COD)	:	348 mg/g	
12.3 Bioaccumulative potential			
Product:			
Bioaccumulation	:	Remarks: No data available	
12.4 Mobility in soil			
Product:			
Mobility	:	Remarks: No data available	
12.5 Results of PBT and vPvB a	isse	ssment	
Product:			
Assessment	:	This substance/mixture contains no to be either persistent, bioaccumula very persistent and very bioaccumu 0.1% or higher	ative and toxic (PBT), or
12.6 Other adverse effects			
Product:			
Additional ecological infor- mation	:	Do not flush into surface water or s	anitary sewer system.
SECTION 13: Disposal consi 13.1 Waste treatment methods	der	ations	

Product	:	Dispose of in accordance with local regulations. Do not let product enter drains. Do not dispose of with domestic refuse.
Contaminated packaging	:	Dispose of in accordance with local regulations.
Waste Code	:	110105 : pickling acids



Revision Date: 08.02.2018 Version: 3.4 Print Date: 15.02.2018 **SECTION 14: Transport information** 14.1 UN number ADR UN 1760 2 RID UN 1760 2 IMDG UN 1760 2 ΙΑΤΑ UN 1760 • 14.2 UN proper shipping name ADR : CORROSIVE LIQUID, N.O.S. (Hydrochloric acid, Orthophosphoric acid) CORROSIVE LIQUID, N.O.S. RID : (Hydrochloric acid, Orthophosphoric acid) IMDG CORROSIVE LIQUID, N.O.S. : (Hydrochloric acid, Orthophosphoric acid) ΙΑΤΑ : Corrosive liquid, n.o.s. (Hydrochloric acid, Orthophosphoric acid) 14.3 Transport hazard class(es) ADR 8 ÷ RID ÷ 8 IMDG 8 2 ΙΑΤΑ 8 ÷ 14.4 Packing group ADR Packing group Ш Classification Code C9 Hazard Identification Number : 80 Labels 8 Tunnel restriction code : (E) RID Packing group Ш Classification Code C9 1 Hazard Identification Number : 80 Labels : 8 IMDG Packing group Ш 2 Labels : 8 EmS Code : F-A. S-B Remarks 2 Acids, Clear of living quarters. IATA (Cargo) Packing instruction (cargo 855 : aircraft) Packing instruction (LQ) Y840 : Packing group 2 Ш Labels 2 Corrosives



Version: 3.4		Revision Date: 08.02.2018	Print Date: 15.02.2018
IATA (Passenger)			
Packing instruction (passen- ger aircraft)	:	851	
Packing instruction (LQ)	:	Y840	
Packing group	:	II	
Labels	:	Corrosives	
14.5 Environmental hazards			
ADR			
Environmentally hazardous	:	no	
RID			
Environmentally hazardous	:	no	
IMDG			
Marine pollutant	:	no	
14.6 Special precautions for use	er		
Refer to protective measures	liste	ed in sections 7 and 8.	
14.7 Transport in bulk according	g to	Annex II of Marpol and the IBC Co	de
Not applicable for product as	eur	nlied	

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: The product is classified and labelled in accordance with EC
directives or respective national laws.
Regional or national implementations of GHS may not imple-
ment all hazard classes and categories.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H226 :	Flammable liquid and vapour.
H290 :	May be corrosive to metals.
H302 :	Harmful if swallowed.
H314 :	Causes severe skin burns and eye damage.
H318 :	Causes serious eye damage.
H331 :	Toxic if inhaled.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
	· · · · ·

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Eye Dam.	:	Serious eye damage
Flam. Liq.	:	Flammable liquids
Met. Corr.	:	Corrosive to metals



Version: 3.4	Revision Date: 08.02.2018	Print Date: 15.02.2018
Skin Corr. STOT SE	: Skin corrosion : Specific target organ toxicity - single	e exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response: GHS - Globally Harmonized System: GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

: The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product. This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

GB / EN