

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BLB151-K21 hebro®nol S 170

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaner for professional application in industry and trade
stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group
GmbH
Rostocker Str. 40
41199 Mönchengladbach

Contact person : Zentrale hebro chemie
Telephone : +49 (0) 2166 6009-0
Telefax : +49 (0) 2166 6009-99

Contact person product safety : Abteilung Produktsicherheit
Telephone : +49(0)2166 6009-311
E-mail address : msds.de@hebro-chemie.de

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:
+49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1	H290: May be corrosive to metals.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin corrosion, Category 1	H314: Causes severe skin burns and eye damage.
Serious eye damage, Category 1	H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Signal word	:	Danger
Hazard statements	:	H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage.
Precautionary statements	:	Prevention: P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P390 Absorb spillage to prevent material damage.

Hazardous components which must be listed on the label:

Orthophosphoric acid
Sulphuric acid

Additional Labelling

EUH208 Contains Diethylthiourea. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Acid cleander and disinfectant as aqueous solution of acids, cationic and nonionic tensides

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
---------------	-------------------	----------------	--------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

	Index-No. Registration number		
Orthophosphoric acid	7664-38-2 231-633-2 01-2119485924-24	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1B; H314 ≥ 25 % Skin Irrit. 2; H315 10 - < 25 % Eye Irrit. 2; H319 10 - < 25 %	≥ 25 - < 50
2-(2-Butoxyethoxy)ethanol; di- ethylene glycol monobutyl ether	112-34-5 203-961-6 603-096-00-8 01-2119475104-44	Eye Irrit. 2; H319	≥ 2.5 - < 10
Sulphuric acid	7664-93-9 231-639-5 016-020-00-8 01-2119458838-20	Met. Corr. 1; H290 Skin Corr. 1A; H314 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1A; H314 ≥ 15 % Skin Irrit. 2; H315 5 - < 15 % Eye Irrit. 2; H319 5 - < 15 %	≥ 3 - < 5
Fatty alcohol alkoxylate	120313-48-6	Aquatic Acute 1; H400 Aquatic Chronic 3; H412 Skin Irrit. 2; H315 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	≥ 1 - < 2.5
Diethylthiourea	105-55-5 203-308-5 01-2119974271-37	Acute Tox. 4; H302 Acute Tox. 4; H312 STOT RE 1; H372 (Thyroid) Aquatic Chronic 3; H412 Eye Dam. 1; H318 Skin Sens. 1; H317	≥ 0.1 - < 0.25

For explanation of abbreviations see section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : First aider needs to protect himself.
Move out of dangerous area.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off all contaminated clothing immediately.
After contact with skin, wash immediately with plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Call a physician immediately.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do NOT induce vomiting.
Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Risks : Harmful if swallowed.
Causes serious eye damage.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry powder
Water mist
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : The product is not flammable.

5.3 Advice for firefighters

- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Specific extinguishing methods : Use water spray to cool unopened containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear suitable protective clothing, gloves and eye/face protection.
Avoid contact with skin, eyes and clothing.

6.2 Environmental precautions

Environmental precautions : Inform the relevant authorities if it enters sewers, aquatic environment or soil.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Keep up mechanically and dispose according to local regulations.
Suitable material for dilution or neutralization

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.
Have eye wash bottle or eye rinse ready at the work place.
Avoid contact with skin and eyes.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep only in the original container. Plastic containers which are opened must be carefully resealed and kept upright to prevent leakage.

Further information on storage conditions : Protect from frost.

Advice on common storage : Incompatible with bases.

Recommended storage temperature : 5 - 40 °C

7.3 Specific end use(s)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Specific use(s) : Cleaner for professional application in industry and trade

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Orthophosphoric acid	7664-38-2	TWA	1 mg/m ³	GB EH40
		STEL	2 mg/m ³	GB EH40
2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	112-34-5	TWA	10 ppm 67.5 mg/m ³	GB EH40
		STEL	15 ppm 101.2 mg/m ³	GB EH40
Sulphuric acid	7664-93-9	TWA (Mist, thoracic fraction)	0.05 mg/m ³	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Workers	Inhalation	Long-term systemic effects	67.5 mg/m ³
	Workers	Inhalation	Long-term local effects	67.5 mg/m ³
	Workers	Inhalation	Acute local effects	101.2 mg/m ³
Diethylthiourea	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	0.14 mg/m ³
	Workers	Skin contact	Long-term systemic effects	2.08 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Fresh water	1 mg/l
	Marine water	0.4 mg/l
	Estuary sediment	4 mg/l
Diethylthiourea	Fresh water	0.313 mg/l
	Marine water	0.0310 mg/l
	Sewage treatment plant	0.2 mg/l
	Intermittent use/release	0.560 mg/l
	Fresh water sediment	1.22 mg/kg
	Marine sediment	0.122 mg/kg
	Soil	0.0607 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166 Face-shield
Hand protection	:	
Material	:	Protective gloves complying with EN 374.
Break through time	:	> 60 min
Protective index	:	Class 3
Material	:	Nitrile rubber
Glove thickness	:	0.4 mm
Material	:	butyl-rubber
Glove thickness	:	0.5 mm
Remarks	:	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Skin and body protection	:	Chemical resistant protective clothing according to DIN EN 13034 (Type 6) Long sleeved clothing Chemical resistant apron
Respiratory protection	:	If product forms vapours or aerosols wear breathing protection.
Filter type	:	Combined particulates, acidic gas/vapour and organic vapour type (AE-P)
Protective measures	:	When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	mild
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	> 100 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Method: DIN 51751

Upper explosion limit / Upper
flammability limit : Upper flammability limit
10.6 %(V)

Lower explosion limit / Lower
flammability limit : Lower flammability limit
1.1 %(V)

Auto-ignition temperature : not determined

pH : 1.8 (20 °C)
Concentration: 10 g/l

Viscosity
Viscosity, kinematic : similar to water

Solubility(ies)
Water solubility : completely soluble

Partition coefficient: n-
octanol/water : Not applicable

Vapour pressure : 23 hPa (20 °C)
Information taken from reference works and the literature.

Density : 1.27 g/cm³ (20 °C)
Method: DIN 51757

Relative vapour density : not determined

9.2 Other information

Explosives : Vapours may form explosive mixture with air.

Substances and mixtures,
which in contact with water,
emit flammable gases : No data available

Metal corrosion rate : Corrosive to metals

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Product is stable under appropriate usage.

10.5 Incompatible materials

Materials to avoid : Bases

10.6 Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,317 mg/kg
Method: Calculation method

Components:

Orthophosphoric acid:

Acute oral toxicity : LD50 (Rat): > 300 mg/kg
Method: OECD Test Guideline 423

2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether:

Acute oral toxicity : LD50 (Rat): 3,384 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,700 mg/kg

Sulphuric acid:

Acute oral toxicity : LD50 (Rat): 2,140 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 375 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Fatty alcohol alkoxylate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Diethylthiourea:

Acute oral toxicity : LD50 (Mouse): 930 mg/kg

Acute dermal toxicity : LD50 (Rat): 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes severe burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Fatty alcohol alkoxylate:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Diethylthiourea:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: In vitro Mammalian Cell Gene Mutation Test
Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Method: OECD Test Guideline 474
Remarks: positive

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

Diethylthiourea:

Species	:	Rat
NOAEL	:	< 6.25 mg/kg
Application Route	:	Oral
Target Organs	:	Thyroid
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

Further information

Product:

Remarks : If swallowed, severe burns in the oral cavity and throat as well as danger of perforation of the digestive tract and stomach.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Orthophosphoric acid:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

NOEC (Desmodesmus subspicatus (green algae)): 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 2,750 mg/l
Exposure time: 48 h
Method: DIN 38412

LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 2,850 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l
plants Exposure time: 96 h
Method: OECD Test Guideline 201

Sulphuric acid:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 16 - 28 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : IC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
plants Exposure time: 72 h
Method: OECD Test Guideline 201

Fatty alcohol alkoxylate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 0.1 - < 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): > 0.1 - < 1 mg/l
Exposure time: 21 d

Toxicity to algae/aquatic : EC50 (Scenedesmus subspicatus): > 0.1 - < 1 mg/l
plants Exposure time: 72 h
Method: OECD Test Guideline 201

EC10 (Scenedesmus subspicatus): > 0.1 - < 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox- : 1
icity)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Toxicity to microorganisms : (activated sludge): 1,000 mg/l
Method: ISO 8192

M-Factor (Chronic aquatic toxicity) : 1

Diethylthiourea:

Toxicity to fish : LC50 (Brachydanio rerio (Zebra danio)): 910 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 56 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 73 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : NOEC (activated sludge): 2 mg/l
Exposure time: 28 d

Toxicity to fish (Chronic toxicity) : NOEC: 31.3 mg/l
Exposure time: 60 d
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 210

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

Fatty alcohol alkoxyate:

Biodegradability : Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: rapidly biodegradable
This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.907/2006 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Biochemical Oxygen De- : 310 mg/g

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

mand (BOD)

Chemical Oxygen Demand : 2,270 mg/g
(COD)

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Diethylthiourea:

Partition coefficient: n- : log Pow: 0.57
octanol/water Method: OECD Test Guideline 107

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

Additional ecological information : Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.
Do not let product enter drains.
Do not dispose of with domestic refuse.

Contaminated packaging : Dispose of in accordance with local regulations.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

Waste Code : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1760
RID : UN 1760
IMDG : UN 1760
IATA : UN 1760

14.2 UN proper shipping name

ADR : CORROSIVE LIQUID, N.O.S.
(Orthophosphoric acid)
RID : CORROSIVE LIQUID, N.O.S.
(Orthophosphoric acid)
IMDG : CORROSIVE LIQUID, N.O.S.
(Orthophosphoric acid)
IATA : Corrosive liquid, n.o.s.
(Orthophosphoric acid)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 8	
RID	: 8	
IMDG	: 8	
IATA	: 8	

14.4 Packing group

ADR
Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8
Tunnel restriction code : (E)

RID
Packing group : III
Classification Code : C9
Hazard Identification Number : 80
Labels : 8

IMDG
Packing group : III
Labels : 8
EmS Code : F-A, S-B
Remarks : Acids, Clear of living quarters.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

IATA (Cargo)

Packing instruction (cargo aircraft) : 856
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosives

IATA_P (Passenger)

Packing instruction (passenger aircraft) : 852
Packing instruction (LQ) : Y841
Packing group : III
Labels : Corrosives

14.5 Environmental hazards

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the following entries should be considered: Number on list 3 Number on list 55: 2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H290 : May be corrosive to metals.
H302 : Harmful if swallowed.
H312 : Harmful in contact with skin.
H314 : Causes severe skin burns and eye damage.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H372 : Causes damage to organs through prolonged or repeated exposure if swallowed.
H400 : Very toxic to aquatic life.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Met. Corr. : Corrosive to metals
Skin Corr. : Skin corrosion
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
STOT RE : Specific target organ toxicity - repeated exposure
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878

BLB151-K21 hebro®nol S 170



A brand of BASF – we create chemistry

Version: 3.12

Revision Date: 23.01.2025

Print Date: 24.01.2025

European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws.

Regional or national implementations of GHS may not implement all hazard classes and categories.

Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : no component is listed

No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACH (Annex XVII).

Classification of the mixture:

Met. Corr. 1	H290
Acute Tox. 4	H302
Skin Corr. 1	H314
Eye Dam. 1	H318

Classification procedure:

Based on product data or assessment
Calculation method
Based on product data or assessment
Based on product data or assessment

GB / EN