

Version: 4.0	Revision Date: 21.08.2024	Print Date: 22.08.2024
SECTION 1: Identification of the	e substance/mixture and of the	company/undertaking
1.1 Product identifier		
Trade name	: C053-K21 hebro®Care 200	
1.2 Relevant identified uses of the	substance or mixture and uses ad	vised against
Use of the Sub- stance/Mixture	: Cleaner for professional application	n in industry and trade
1.3 Details of the supplier of the sa	fety data sheet	
Company	: hebro chemie- ZN der Roc GmbH Rostocker Str. 40 41199 Mönchengladbach	kwood Specialties Group
Contact person	: Zentrale hebro chemie	
Telephone	: +49 (0) 2166 6009-0	
Telefax	: +49 (0) 2166 6009-99	
Contact person product safety	Abteilung Produktsicherhe	it
Telephone	: +49(0)2166 6009-311	
E-mail address	: msds.de@hebro-chemie.d	e
1.4 Emergency telephone number		
	: Giftinformationszentrum E +49 (0) 361 730 730	rfurt:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)Flammable liquids, Category 3H226: Flammable liquid and vapour.

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)Hazard pictograms:Signal word:Mazard statements:H226
H319Flammable liquid and vapour.
Causes serious eye irritation.



Version: 4.0	Revision Dat	e: 21.08.2024	Print Date: 22.08.2024
Precautionary statements :	Prevention:		
		Keep away from heat, hot ames and other ignition s	
	P280 V	Vear protective gloves/ protection/ face protection/	otective clothing/ eye
	Response:		
	a	+ P353 IF ON SKIN (or tely all contaminated clot vater.	
	P337 + P313 a	If eye irritation persists:	: Get medical advice/
		In case of fire: Use dry Icohol-resistant foam to e	
	Storage:		
	P403 + P235	Store in a well-ventilate	ed place. Keep cool.

Additional Labelling

EUH208 Contains Orange, sweet, ext.. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Neutral cleaner as aqueous solution of anionic and nonionic
		tensides

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
2-(2-Butoxyethoxy)ethanol; di-	112-34-5	Eye Irrit. 2; H319	>= 10 - < 25
ethylene glycol monobutyl ether	203-961-6		
	603-096-00-8		
	01-2119475104-44		
Propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 2.5 - < 10
	200-661-7	Eye Irrit. 2; H319	
	603-117-00-0	STOT SE 3; H336	
	01-2119457558-25	(Central nervous	



sion: 4.0	Revision Date: 21.08.2	024 Print D	Print Date: 22.08.2024	
		system)	1	
Orange, sweet, ext.	8028-48-6 232-433-8 01-2119493353-35	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1; H317 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	>= 0.1 - < 0.25	
Substances with a workplace	ce exposure limit :			
Ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225	>= 10 - < 25	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	Provide fresh air. Keep patient warm and at rest.
In case of skin contact	:	After contact with skin, wash immediately with plenty of soap and water. Take off all contaminated clothing immediately.
In case of eye contact	:	In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes.
If swallowed	:	Do NOT induce vomiting. Keep at rest. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Risks :	Causes serious eye irritation.
---------	--------------------------------

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry powder Water spray jet
Unsuitable extinguishing media	:	High volume water jet



Version: 4.0		Revision Date: 21.08.2024	Print Date: 22.08.2024
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	No information available.	
5.3 Advice for firefighters			
Special protective equipment for firefighters	:	Wear self-contained breathing appessary.	paratus for firefighting if nec-
Specific extinguishing meth- ods	:	Use water spray to cool unopened	d containers.
Further information	:	Fire residues and contaminated find be disposed of in accordance with	a

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures			
Personal precautions :	Remove all sources of ignition. Ensure adequate ventilation.		
6.2 Environmental precautions			
Environmental precautions :	Inform the relevant authorities if it enters sewers, aquatic envi- ronment or soil.		
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up :	Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.		

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.
Advice on protection against fire and explosion	:	Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Keep away from open flames, hot surfaces and sources of
areas and containers		ignition. Keep containers tightly closed in a cool, well-
		ventilated place. Observe label precautions.



Version: 4.0		Revision Date: 21.08.2024	Print Date: 22.08.2024
Further information on stor- age conditions	:	Protect from heat and sunlight.	
Advice on common storage	:	Incompatible with oxidizing agents.	
7.3 Specific end use(s) Specific use(s)	:	Cleaner for glass	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	GB EH40
		TWA	1,000 ppm 1,920 mg/m3	GB EH40
2-(2- Butoxyeth- oxy)ethanol; dieth- ylene glycol mono- butyl ether	112-34-5	TWA	10 ppm 67.5 mg/m3	GB EH40
		STEL	15 ppm 101.2 mg/m3	GB EH40
Propan-2-ol	67-63-0	STEL	500 ppm 1,250 mg/m3	GB EH40
		TWA	400 ppm 999 mg/m3	GB EH40
		STEL	500 ppm 1,250 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
Ethanol	Workers	Inhalation	Long-term systemic effects	950 mg/m3
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
2-(2- Butoxyethoxy)ethanol; diethylene glycol monobutyl ether	Workers	Inhalation	Long-term systemic effects	67.5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	67.5 mg/m3
	Workers	Inhalation	Acute local effects	101.2 mg/m3
	Workers	Skin contact	Long-term systemic effects	20 mg/kg bw/day
Orange, sweet, ext.	Workers	Inhalation	Long-term systemic effects	31.1 mg/m3



Version: 4.0	Re	vision Date: 21.08.20	024 Print Date	e: 22.08.2024
	Workers	Skin contact	Long-term systemic effects	8.89 mg/kg bw/day
	Workers	Skin contact	Acute local effects	185.8 µg/cm2

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Sewage treatment plant	2251 mg/l
	Sediment	552 mg/kg
	Soil	28 mg/kg
2-(2-Butoxyethoxy)ethanol; di- ethylene glycol monobutyl ether	Fresh water	1 mg/l
	Marine water	0.4 mg/l
	Estuary sediment	4 mg/l
Orange, sweet, ext.	Fresh water	0.005 mg/l
	Marine water	0.0005 mg/l
	Intermittent use/release	0.0058 mg/l
	Sewage treatment plant	2.1 mg/l
	Fresh water sediment	1.3 mg/kg
	Marine sediment	0.13 mg/kg
	Soil	0.261 mg/kg
	Oral	13.3 mg/kg

8.2 Exposure controls

Engineering measures

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Eye/face protection	:	Safety glasses with side-shields conforming to EN166
Hand protection Material Break through time Protective index	:	Protective gloves complying with EN 374. > 60 min Class 3
Material Glove thickness		Nitrile rubber 0.4 mm
Material Glove thickness	:	butyl-rubber 0.5 mm
Remarks	:	The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this has to be observed.
Skin and body protection	:	Chemical resistant protective clothing according to DIN EN 13034 (Type 6) Work uniform or laboratory coat.
Respiratory protection	:	Use respirator when performing operations involving potential exposure to vapour of the product.



Version: 4.0		Revision Date: 21.08.2024	Print Date: 22.08.2024
Filter type	:	Organic vapour type (A)	
Protective measures	:	When using do not eat, drink or s Wash hands before breaks and a Follow the skin protection plan.	
Environmental exposure	contro	ols	
Soil	:	Avoid subsoil penetration.	

3011	•	Avoid subsoil penetration.
Water	:	Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	blue
Odour	:	Lemon odour
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	78 °C Method: DIN 51751
Upper explosion limit / Upper flammability limit	:	Upper flammability limit 15 %(V)
Lower explosion limit / Lower flammability limit	:	Lower flammability limit 1.1 %(V)
Flash point	:	34 °C
Auto-ignition temperature	:	230 °C
рН	:	4.2 (20 °C) (undiluted)
Viscosity Viscosity, kinematic	:	similar to water
Solubility(ies) Water solubility	:	1,000 g/l completely soluble



Version: 4.0		Revision Date: 21.08.2024	Print Date: 22.08.2024
Partition coefficient: n- octanol/water	:	Not applicable	
Vapour pressure	:	30 hPa (20 °C) Information taken from reference wor	ks and the literature.
Density	:	0.97 g/cm³ (20 °C) Method: DIN 51757	
Relative vapour density	:	not determined	
9.2 Other information			
Explosives	:	Vapours may form explosive mixture	with air.
Substances and mixtures, which in contact with water, emit flammable gases	:	No data available	
Metal corrosion rate	:	Not corrosive to metals	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Product is stable under appropriate usage.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Carbon monoxid, carbon dioxid. Smoke Nitrogen oxides (NOx) **SECTION 11: Toxicological information**

Version: 4.0



Print Date: 22.08.2024

Acute toxicity Not classified due to lack o	f data
Components:	
	bl; diethylene glycol monobutyl ether:
Acute oral toxicity	: LD50 (Rat): 3,384 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): 2,700 mg/kg
Propan-2-ol:	
Acute oral toxicity	: LD50 (Rat): 5,840 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): Exposure time: 6 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): 13,900 mg/kg Method: OECD Test Guideline 402
Orange, sweet, ext.:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg
Ethanol:	
Acute oral toxicity	: LD50 (Rat): 10,470 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402

Revision Date: 21.08.2024

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.



Version: 4.0	Revision Date: 21.08.2024	Print Date: 22.08.2024
Respiratory sensitisation		
Not classified due to lack of data.		
Germ cell mutagenicity		
Not classified due to lack of data.		
<u>Components:</u>		
Orange, sweet, ext.:		
Genotoxicity in vitro :	Remarks: In vitro tests did not show mu	utagenic effects
Carcinogenicity		
Based on available data, the clas	sification criteria are not met.	
Product:		
Carcinogenicity - Assess- : ment	Not classifiable as a human carcinoger	Ι.
Reproductive toxicity		
Not classified due to lack of data.		
STOT - single exposure		
Not classified due to lack of data.		
STOT - repeated exposure		
Not classified due to lack of data.		
Aspiration toxicity		
Not classified due to lack of data.		
11.2 Information on other hazards		
Endocrine disrupting propertie	S	
Product:		
Assessment :	This substance/mixture does not contain ered to have endocrine disrupting prop- according to UK REACH Article 57(f),	
Further information		
Product:		
Remarks :	According to many years of experience harmful effects when handled properly. Description of possible hazardous to he on experience and/or toxicological char components.	ealth effects is based
CECTION 40. Eaclariant informa-	tion	
SECTION 12: Ecological informa	tion	

12.1 Toxicity

Components:

2-(2-Butoxyethoxy)ethanol; diethylene glycol monobutyl ether:



Version: 4.0		Revision Date: 21.08.2024 Print Date: 22.08.2024
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 2,750 mg/l Exposure time: 48 h Method: DIN 38412
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 2,850 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 201
Propan-2-ol:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 8,970 mg/l Exposure time: 48 h
		LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 9,714 mg/l Exposure time: 24 h
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus subspicatus): > 100 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	IC50 (Bacteria): > 100 mg/l
Orange, sweet, ext.:		
Toxicity to fish	:	LC50 (Pimephales promelas (Fathead minnow)): 0.7 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.67 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus): 150 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Ethanol:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 12,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Algae): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



Version: 4.0	Revision Date: 21.08.2024	Print Date: 22.08.2024	
12.2 Persistence and degradability			
Product: Biodegradability :	Remarks: No data available		
12.3 Bioaccumulative potential			
Product: Bioaccumulation :	Remarks: No data available		
12.4 Mobility in soil			
Product: Mobility :	Remarks: No data available		
12.5 Results of PBT and vPvB ass	essment		
Product: Assessment :	This substance/mixture contains ne to be either persistent, bioaccumul very persistent and very bioaccum 0.1% or higher.	ative and toxic (PBT), or	
12.6 Endocrine disrupting properti	es		
Product: Assessment :	This substance/mixture does not c ered to have endocrine disrupting according to UK REACH Article 57	properties for environment	
12.7 Other adverse effects			
<u>Product:</u> Additional ecological infor- : mation	Do not flush into surface water or s Avoid subsoil penetration.	sanitary sewer system.	
SECTION 13: Disposal considerations			
13.1 Waste treatment methods Product :	Dispose of in accordance with loca Do not let product enter drains. Do not dispose of with domestic re	-	

Contaminated packaging	:	Dispose of in accordance with local regulations. Since emptied containers retain product residues (vapour and/or liquid) follow all MSDS/label warnings after container is emptied.
Waste Code	:	Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.



Version: 4.0 Revision Date: 21.08.2024 Print Date: 22.08.2024 **SECTION 14: Transport information** 14.1 UN number or ID number ADR UN 1993 : RID : UN 1993 IMDG UN 1993 : ΙΑΤΑ UN 1993 ÷ 14.2 UN proper shipping name ADR : FLAMMABLE LIQUID, N.O.S. (Propan-2-ol) : FLAMMABLE LIQUID, N.O.S. RID (Propan-2-ol) IMDG FLAMMABLE LIQUID, N.O.S. : (Propan-2-ol) ΙΑΤΑ : Flammable liquid, n.o.s. (Propan-2-ol) 14.3 Transport hazard class(es) Class Subsidiary risks ADR 2 3 RID 3 ÷ IMDG 3 2 ΙΑΤΑ ÷ 3 14.4 Packing group ADR Ш Packing group Classification Code F1 Hazard Identification Number : 30 Labels 3 1 Tunnel restriction code : (D/E) Remarks **Special Provision 640E** : RID Packing group : **Classification Code** F1 Hazard Identification Number : 30 Labels 3 • Remarks **Special Provision 640E** 2 IMDG Packing group Ш : Labels 3 2 F-E, <u>S-E</u> EmS Code 2 IATA (Cargo)



Version: 4.0		Revision Date: 21.08.2024	Print Date: 22.08.2024
Packing instruction (cargo aircraft) Packing instruction (LQ) Packing group Labels		Y344 III	
IATA_P (Passenger) Packing instruction (passen- ger aircraft) Packing instruction (LQ) Packing group Labels		355 Y344 III Flammable Liquids	
14.5 Environmental hazards			
ADR Environmentally hazardous RID	:	no	
Environmentally hazardous	:	no	
IMDG Marine pollutant	:	no	

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Number on list 55: 2-(2- Butoxyethoxy)ethanol; diethylene glycol monobutyl ether Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Brit- ain)	:	Not applicable
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation	:	Not applicable



Version: 4.0 Revision Date: 21.08.2024 Print Date: 22.08.2024 (Annex XIV) GB Export and import of hazardous chemicals - Prior : Not applicable Informed Consent (PIC) Regulation 15.2 Chemical safety assessment A Chemical Safety Assessment is not required for this substance. **SECTION 16: Other information** Full text of H-Statements H225 Highly flammable liquid and vapour. Flammable liquid and vapour. H226 : May be fatal if swallowed and enters airways. H304 : Causes skin irritation. H315 H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. : H336 May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. H411 Full text of other abbreviations Aquatic Chronic Long-term (chronic) aquatic hazard : Asp. Tox. Aspiration hazard :

Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
STOT SE	:	Specific target organ toxicity - single exposure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	:	Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of



Version: 4.0

Revision Date: 21.08.2024

Print Date: 22.08.2024

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product. This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Classification of the mixture:

Classification procedure:

Flam. Liq. 3	H226	Based on product data or assessment
Eye Irrit. 2	H319	Calculation method

GB / EN