according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : D561-AE4 hebro@sol CITRUS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Cleaner (solvent) for professional application in industry and

stance/Mixture trade

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie- ZN der Rockwood Specialties Group

GmbH

Rostocker Str. 40

41199 Mönchengladbach : Zentrale hebro chemie

Contact person Telephone : +49 (0) 2166 6009-0 : +49 (0) 2166 6009-99 Telefax

Contact person product safety Abteilung Produktsicherheit : +49(0)2166 6009-311 Telephone E-mail address : msds.de@hebro-chemie.de

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:

+49 (0) 361 730 730

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Specific target organ toxicity - single ex-

posure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

Long-term (chronic) aquatic hazard, Cat-

egory 2

H411: Toxic to aquatic life with long lasting effects.

1/17

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie bro

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :







Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition

source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing mist.

P280 Wear protective gloves/ eye protection/ face pro-

tection.

Storage:

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Hazardous components which must be listed on the label:

Propan-2-ol

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

Orange, sweet, ext.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

Toxicological information: This substance/mixture does not contain components considered to have endocrine disrupting properties for human health according to UK REACH Article 57(f),

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture of isoparaffins and alcohol

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Components

Chemical name	CAS-No.	Classification	Concentration
Chemical name	EC-No.	Ciassilication	(% w/w)
	Index-No.		(/O W/ W)
	Registration number		
Propan-2-ol	67-63-0	Flam. Liq. 2; H225	>= 10 - < 20
1 10pan-2-01	200-661-7	Eye Irrit. 2; H319)= 10 · < 20
	603-117-00-0	STOT SE 3; H336	
	01-2119457558-25	(Central nervous	
	01 2110407000 20	system)	
Ethanol	64-17-5	Flam. Liq. 2; H225	>= 10 - < 25
Ethanor	200-578-6	Eye Irrit. 2; H319	7-10 (20
	01-2119457610-43		
		specific concentration	
		limit	
		Eye Irrit. 2; H319	
		>= 50 %	
Hydrocarbons, C7-C9, n-alkanes,	Not Assigned	Flam. Liq. 2; H225	>= 10 - < 20
isoalkanes, cyclics	920-750-0	Asp. Tox. 1; H304	
-	01-2119473851-33	Aquatic Chronic 2;	
		H411	
		STOT SE 3; H336	
Orange, sweet, ext.	8028-48-6	Flam. Liq. 3; H226	>= 10 - < 25
	232-433-8	Skin Irrit. 2; H315	
	01-2119493353-35	Skin Sens. 1; H317	
		Asp. Tox. 1; H304	
		Aquatic Chronic 2;	
		H411	
Substances with a workplace expo		T=	
Butane	106-97-8	Flam. Gas 1; H220	>= 10 - < 25
	203-448-7	Press. Gas Liquefied	
	601-004-00-0	gas; H280	
	01-2119474691-32		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : If symptoms persist, call a physician.

If inhaled : Provide fresh air.

In case of skin contact : Take off immediately all contaminated clothing.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

If swallowed : Unlikely route of exposure

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro A brand of BASF - we create chem

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

4.2 Most important symptoms and effects, both acute and delayed

Risks Causes skin irritation.

> May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder

> Carbon dioxide (CO2) Alcohol-resistant foam Water spray jet

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Combustion may cause:

Risk of explosion.

Hazardous combustion prod- : Carbon oxides

ucts

5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essary.

Specific extinguishing meth- :

ods

Use water spray to cool unopened containers.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Evacuate personnel to safe areas.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Provide sufficient air exchange and/or exhaust in work rooms.

Remove all sources of ignition.

Do not breathe vapour.

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Environmental precautions No special environmental precautions required.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep away

from children.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn,

even after use.

For personal protection see section 8.

Advice on protection against :

fire and explosion

Take measures to prevent the build up of electrostatic charge.

Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

,0

Electrical installations / working materials must comply with

the technological safety standards.

Further information on stor-

age conditions

Keep only in the original container in a cool, well-ventilated place. Keep away from heat. Keep away from sources of igni-

tion - No smoking.

Advice on common storage : Do not store together with explosives, oxidizing agents, organ-

ic peroxides and infectious products.

7.3 Specific end use(s)

Specific use(s) : Cleaner (solvent) for professional application in industry and

trade

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Butane	106-97-8	TWA	600 ppm 1,450 mg/m3	GB EH40
	Further information: Capable of causing cancer and/or heritable genetic damage., Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene			
		STEL	750 ppm 1,810 mg/m3	GB EH40

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

			of causing cancer and/or he ies if butane contains more t	
		STEL	750 ppm 1,810 mg/m3	GB EH40
			of causing cancer and/or he ies if butane contains more t	
		TWA	600 ppm 1,450 mg/m3	GB EH40
		er information: Capable of causing cancer and/or heritable genetic dam- Carcinogenic only applies if butane contains more than 0.1% of buta-		
		TWA	600 ppm 1,450 mg/m3	GB EH40
	Further info	Further information: Capable of causing cancer and/or heritable genetic dam-		
		STEL	750 ppm 1,810 mg/m3	GB EH40
	Further info	ner information: Capable of causing cancer and/or heritable genetic d		eritable genetic dam-
		TWA	600 ppm 1,450 mg/m3	GB EH40
	Further info	information: Capable of causing cancer and/or heritable genetic da		eritable genetic dam-
		STEL	750 ppm 1,810 mg/m3	GB EH40
	Further info	Further information: Capable of causing cancer and/or heritable genetic dam-		
Propan-2-ol	67-63-0	STEL	500 ppm 1,250 mg/m3	GB EH40
		TWA	400 ppm 999 mg/m3	GB EH40
		STEL	500 ppm 1,250 mg/m3	GB EH40
Ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	GB EH40
		TWA	1,000 ppm 1,920 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
Ethanol	Workers	Inhalation	Long-term systemic effects	950 mg/m3
Hydrocarbons, C7- C9, n-alkanes, isoal- kanes, cyclics	Workers	Inhalation	Long-term systemic effects	2035 mg/m3
	Workers	Skin contact	Long-term systemic effects	733 mg/kg bw/day
Orange, sweet, ext.	Workers	Inhalation	Long-term systemic	31.1 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

			effects	
	Workers	Skin contact	Long-term systemic effects	8.89 mg/kg bw/day
	Workers	Skin contact	Acute local effects	185.8 µg/cm2

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Propan-2-ol	Fresh water	140.9 mg/l
	Marine water	140.9 mg/l
	Sewage treatment plant	2251 mg/l
	Sediment	552 mg/kg
	Soil	28 mg/kg
Orange, sweet, ext.	Fresh water	0.005 mg/l
	Marine water	0.0005 mg/l
	Intermittent use/release	0.0058 mg/l
	Sewage treatment plant	2.1 mg/l
	Fresh water sediment	1.3 mg/kg
	Marine sediment	0.13 mg/kg
	Soil	0.261 mg/kg
	Oral	13.3 mg/kg

8.2 Exposure controls

Engineering measures

Provide sufficient air exchange and/or exhaust in work rooms.

Personal protective equipment

Eye/face protection : Safety glasses with side-shields conforming to EN166

Hand protection

Material : Protective gloves complying with EN 374.

Break through time : > 60 min Protective index : Class 3

Material : Nitrile rubber Glove thickness : 0.4 mm

Material : butyl-rubber Glove thickness : 0.5 mm

Remarks : The choice of an appropriate glove does not only depend on

its material but also on other quality features and is different from one producer to the other. The exact break through time can be obtained from the protective glove producer and this

has to be observed.

Skin and body protection : Chemical resistant protective clothing according to DIN EN

13034 (Type 6)

Work uniform or laboratory coat.

Respiratory protection : Do not inhale aerosol.

Filter type : Combined inorganic and acidic gas/vapour, ammonia/amines

and organic vapour type (ABEK)

Protective measures : Handle in accordance with good industrial hygiene and safety

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie bro

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

practice.

When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Follow the skin protection plan.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : aerosol

Colour : colourless

Odour : like lemon

Melting point/freezing point : Not applicable

Boiling point/boiling range : Not applicable

Upper explosion limit / Upper

flammability limit

Upper flammability limit

15 %(V)

Lower explosion limit / Lower :

flammability limit

Lower flammability limit

0.7 %(V)

Flash point : < 1 °C

Auto-ignition temperature : 365 °C

pH : No data available

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : 200 g/l

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie bro

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Density : 0.78 g/cm³ (20 °C)

Method: DIN 51757 Active ingredient

Relative vapour density : not determined

9.2 Other information

Explosives : Vapours may form explosive mixture with air.

Substances and mixtures, which in contact with water, emit flammable gases

: Vapours may form explosive mixture with air.

Metal corrosion rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Carbon oxides

Nitrogen oxides (NOx)

Smoke

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Components:

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): 5,840 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): Exposure time: 6 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 13,900 mg/kg

Method: OECD Test Guideline 402

Ethanol:

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 124.7 mg/l

Exposure time: 4 h

Test atmosphere: vapour Method: OECD Test Guideline 403

: LD50 (Rabbit): > 2,000 mg/kg

Method: OECD Test Guideline 402

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 23.3 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2,800 mg/kg

Method: OECD Test Guideline 402

Orange, sweet, ext.:

Acute dermal toxicity

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie hebro

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Germ cell mutagenicity

Not classified due to lack of data.

Components:

Orange, sweet, ext.:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assess-

: Not classifiable as a human carcinogen.

ment

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for human health

according to UK REACH Article 57(f),

Further information

Product:

Remarks : Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propan-2-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8,970 mg/l

Exposure time: 48 h

LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l

Exposure time: 96 h

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 9,714 mg/l

Exposure time: 24 h

Toxicity to algae/aquatic

plants

EC50 (Scenedesmus subspicatus): > 100 mg/l

Exposure time: 72 h

Toxicity to microorganisms : IC50 (Bacteria): > 100 mg/l

Ethanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 12,340 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Algae): 275 mg/l Exposure time: 72 h

Method: OECD Test Guideline 201

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 13.4 mg/l

Exposure time: 96 h

Test substance: Read-across (Analogy)

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3 mg/l

Exposure time: 48 h

Test substance: Read-across (Analogy)

LOEC (Daphnia magna (Water flea)): 0.32 mg/l

NOEC (Daphnia magna (Water flea)): 0.17 mg/l

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): > 10

mg/l

Exposure time: 72 h

Test substance: Read-across (Analogy)

Orange, sweet, ext.:

Toxicity to fish : LC50 (Pimephales promelas (Fathead minnow)): 0.7 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.67 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

: ErC50 (Desmodesmus subspicatus): 150 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie A brand of BASF – we create chemistry

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture does not contain components consid-

ered to have endocrine disrupting properties for environment

according to UK REACH Article 57(f).

12.7 Other adverse effects

Product:

Additional ecological infor-

mation

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Offer empty spray cans to an established disposal company.

Waste Code : Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 1950

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

 RID
 : UN 1950

 IMDG
 : UN 1950

 IATA
 : UN 1950

14.2 UN proper shipping name

ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS

IATA : Aerosols, flammable

14.3 Transport hazard class(es)

Class Subsidiary risks

ADR : 2 2.1 **RID** : 2 2.1

IMDG : 2.1
IATA : 2.1

14.4 Packing group

ADR

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F Hazard Identification Number : 23 Labels : 2.1

IMDG

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

Remarks : "IMDG-Code segregation group not applicable"., Protected

from sources of heat., For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS or

WASTE GAS CARTRIDGES: Category C, Clear of living quarters., For AEROSOLS with a capacity <= 1L: segr. as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a cap. > 1L: segr. as for the appr. subdiv. of class 2. For WASTE AEROSOLS: segr. as for the appr. sub-

div. of class 2.

IATA (Cargo)

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie bro

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Labels : Flammable Gas

IATA_P (Passenger)

Packing instruction (passen- : 203

ger aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high : Not applicable

concern (SVHC) for Authorisation

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great Brit-

ain)

Regulation (EC) on substances that deplete the ozone : Not applicable

layer

UK REACH List of substances subject to authorisation : Not applicable

(Annex XIV)

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

according to Detergents : 30 % and more: Aliphatic hydrocarbons

Regulation EC 648/2004

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

hebro chemie for or or A brand of BASF - we create chemistry

D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

Regulation (EC) No. : 30 % and more: Aliphatic hydrocarbons

648/2004, as amended

Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H220 : Extremely flammable gas.

H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.

H280 : Contains gas under pressure; may explode if heated.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard

Asp. Tox. : Aspiration hazard
Eye Irrit. : Eye irritation
Flam. Gas : Flammable gases
Flam. Liq. : Flammable liquids
Press. Gas : Gases under pressure

Skin Irrit. : Skin irritation Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China;

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



D561-AE4 hebro®sol CITRUS

Version: 2.13 Revision Date: 07.04.2025 Print Date: 08.04.2025

IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

The product is classified and labelled in accordance with EC directives or respective national laws.

Regional or national implementations of GHS may not implement all hazard classes and categories.

Guideline on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) : no component is listed

No PFAS are consciously added to the product concerning the restriction proposal for inclusion to REACh (Annex XVII).

Classification procedure:

Classification of the mixture:

Aerosol 1	H222, H229	Calculation method
Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
STOT SE 3	H336	Calculation method
Aquatic Chronic 2	H411	Calculation method

GB / EN