according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : E506-AE4 hebro@chaast

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Special lubricant

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : hebro chemie GmbH

Rostocker Str. 40

41199 Mönchengladbach

 Contact person
 : Wolfgang Schaffers

 Telephone
 : +49 (0) 2166 6009-0

 Telefax
 : +49 (0) 2166 6009-99

Contact person product safety Abteilung Produktsicherheit

E-mail address : info-produktsicherheit@gmx.de

1.4 Emergency telephone number

: Giftinformationszentrum Erfurt:

+49 (0) 361 730 730

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (67/548/EEC, 1999/45/EC)

Extremely flammable R12: Extremely flammable.

R66: Repeated exposure may cause skin dryness

or cracking.

### 2.2 Label elements

Labelling according to EC Directives (1999/45/EC)

Hazard pictograms :



according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

Extremely flammable

R-phrase(s) : R12 Extremely flammable.

R66 Repeated exposure may cause skin dry-

ness or cracking.

S-phrase(s) : S23 Do not breathe spray.

S26 In case of contact with eyes, rinse immedi-

ately with plenty of water and seek medical

advice.

S29/56 Do not empty into drains, dispose of this

material and its container at hazardous or

special waste collection point.

S51 Use only in well-ventilated areas.

Special labelling of certain

mixtures

: Pressurized container. Protect from sunlight and do not ex-

pose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

Keep away from sources of ignition - No smoking.

Keep out of the reach of children.

#### 2.3 Other hazards

The information required is contained in this Material Safety Data Sheet.

## **SECTION 3: Composition/information on ingredients**

# 3.1 Substances

not applicable

### 3.2 Mixtures

Chemical nature : Preparation based on polyglycols, lubricants and organic sol-

vents

### **Hazardous components**

Chemical Name	CAS-No. EC-No. Registration num- ber	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Use CM64742489A! Hydrocarbons, C10- C13, n-alkanes, isoal- kanes, cyclics, < 2% aromatics	265-150-3 01-2119457273-39	Xn; R65 R66 Nota H, Nota P,	Asp. Tox. 1; H304	>= 65 - < 80

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

# E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

		Nota L		
Propane	74-98-6 200-827-9 01-2119486944-21	F+; R12	Flam. Gas 1; H220 Press. Gas	>= 10 - < 25
Isobutane	75-28-5 200-857-2	F+; R12 Nota C	Flam. Gas 1; H220 Press. Gas Compr. Gas; H280	>= 10 - < 25
Distillates (petroleum), acid-treated middle;	64742-13-8 265-113-1	Xn; R65-R66 Nota H, Nota N	Asp. Tox. 1; H304	>= 2.5 - < 10

WEL substance :					
Butane	106-97-8 203-448-7	F+; R12 Nota C	Flam. Gas 1; H220 Press. Gas	>= 10 - < 25	

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16. For the full text of the Notas mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Call a physician if symptoms occur.

If inhaled : Provide fresh air.

Keep patient warm and at rest. If symptoms persist, call a physician.

In case of skin contact : Take off immediately all contaminated clothing.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Do NOT use solvents or thinners.

In case of eye contact : Irrigate copiously with clean, fresh water for at least 10 min-

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

utes, holding the eyelids apart.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Keep at rest.

Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

: No information available. **Symptoms** 

: No information available. Risks

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

## SECTION 5: Firefighting measures

# 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

: High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Combustion may cause: Carbon dioxide (CO2)

Carbon monoxide

### 5.3 Advice for firefighters

for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-

essary.

Further information : Use water spray to cool unopened containers.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Provide sufficient air exchange and/or exhaust in work rooms.

Remove all sources of ignition.

Do not breathe vapour.

Refer to protective measures listed in sections 7 and 8.

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Inform the relevant authorities if it enters sewers, aquatic envi-

ronment or soil.

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, soak up with non-combustible absorbent

material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See chapter 8 and 13

### **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist.

When using do not eat, drink or smoke. For personal protection see section 8.

Take precautionary measures against static discharges. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn,

even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep away

from children.

Advice on protection against

fire and explosion

: Vapours are heavier than air and may spread along floors.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Electrical installations / working materials must comply with

the technological safety standards.

Follow the water regulations.

Further information on stor-

age conditions

: Keep only in the original container in a cool, well-ventilated

place.

Keep away from sources of ignition - No smoking.

Keep away from heat.

Advice on common storage : Incompatible with oxidizing agents.

## 7.3 Specific end use(s)

Specific use(s) : Special lubricant

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Components	C	CAS-No.	Value	Control pa- rameters	Update	Basis
Butane	1	06-97-8	TWA	600 ppm 1,450 mg/m3	2007-08-01	GB EH40
Further information	:	Carc: Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH.  Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene				
	1	06-97-8	STEL	750 ppm 1,810 mg/m3	2007-08-01	GB EH40
Further information	:	: Carc: Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH.  Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene				

### 8.2 Exposure controls

### **Engineering measures**

Provide sufficient air exchange and/or exhaust in work rooms.

### Personal protective equipment

Respiratory protection : Do not breathe gas/fumes/vapour/spray.

When workers are facing concentrations above the exposure

limit they must use appropriate certified respirators.

Hand protection : Chemical resistant gloves made of butyl rubber or nitrile rub-

ber category III according to EN 374.

Eye protection : Safety glasses with side-shields

Skin and body protection : protective suit

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

# E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

Follow the skin protection plan.

### **Environmental exposure controls**

General advice : Do not flush into surface water or sanitary sewer system.

Inform the relevant authorities if it enters sewers, aquatic envi-

ronment or soil.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : aerosol
Colour : grey

Odour : mild

Flash point : < 1 °C

Ignition temperature : 240 °C

Lower explosion limit : 0.6 %(V)

Upper explosion limit : 10.9 %(V)

pH : not applicable

Density : 0.69 g/cm3

at 20 °C

Method: DIN 51757

Water solubility : 20 g/l

### 9.2 Other information

Explosivity : In use, may form flammable/explosive vapour-air mixture.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No hazards to be specially mentioned.

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

#### 10.2 Chemical stability

The product is chemically stable.

# 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

## 10.6 Hazardous decomposition products

Risk of decomposition. : In case of fire hazardous decomposition products may be

> produced such as: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx)

Smoke

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Acute oral toxicity

: LD50: > 2,000 mg/kgUse CM64742489A! Hy-

drocarbons, C10-C13, nalkanes, isoalkanes, cyclics,

< 2% aromatics

Species: rat

Acute dermal toxicity

Use CM64742489A! Hy-: LD50: > 2,000 mg/kgdrocarbons, C10-C13, n-Species: rabbit alkanes, isoalkanes, cyclics,

< 2% aromatics

Skin corrosion/irritation

Skin irritation : Repeated or prolonged contact with the mixture may cause

removal of natural fat from the skin resulting in desiccation of

the skin.

May cause eye and skin irritation.

## Serious eye damage/eye irritation

Eye irritation : The liquid splashed in the eyes may cause irritation and re-

versible damage.

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

## Respiratory or skin sensitisation

Sensitisation : This information is not available.

Carcinogenicity

Remarks : Not classifiable as a human carcinogen.

Further information : Health injuries are not known or expected under normal use.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

: No data available Toxicity to fish

# 12.2 Persistence and degradability

: No data available Biodegradability

12.3 Bioaccumulative potential

Bioaccumulation : No data available

12.4 Mobility in soil

Mobility : No data available

## 12.5 Results of PBT and vPvB assessment

No data available

### 12.6 Other adverse effects

Additional ecological informa: Do not flush into surface water or sanitary sewer system.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

**Product** : Dispose of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

Do not let product enter drains.

Do not dispose of with domestic refuse.

Packaging : The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

Do not dispose of with domestic refuse.

Contaminated packaging : Dispose of in accordance with local regulations.

Waste Code : 160504 gases in pressure containers (including halons) con-

taining dangerous substances

## **SECTION 14: Transport information**

**ADR** 

UN number : 1950 UN proper shipping name : AEROSOLS

Transport hazard class(es) : 2
Classification Code : 5F
Limited Quantity (LQ) Inner : 1.00 L

Packaging

Maximum quantity : 30.00 KG Labels : 2.1

Tunnel restriction code : (D) Environmentally hazardous : no

IATA

UN number : 1950

Description of the goods : Aerosols, flammable

Class : 2.1 Labels : 2.1

IATA\_C

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203 Maximum quantity : 150.00 KG

Environmentally hazardous : no

IATA\_P

Packing instruction (passen: 203

ger aircraft)

Packing instruction (LQ) : Y203
Maximum quantity : 75.00 KG

Environmentally hazardous : no

**IMDG** 

UN number : 1950

10 / 12

- EN

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

## E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

Description of the goods : AEROSOLS

Class : 2.1
Labels : 2.1
EmS Number 1 : F-D
EmS Number 2 : S-U
Marine pollutant : no

Shaded from sources of heat.

"IMDG-Code segregation group not applicable".

Shaded from sources of heat.

"IMDG-Code segregation group not applicable".

**RID** 

UN number : 1950
Description of the goods : AEROSOLS

Transport hazard class(es) : 2
Classification Code : 5F
Hazard Identification Number : 23
Labels : 2.1
Limited Quantity (LQ) Inner : 1.00 L

Packaging

Maximum quantity : 30.00 KG

Environmentally hazardous : no

#### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : The product is classified and labelled in accordance with EC

directives or respective national laws.

Regional or national implementations of GHS may not imple-

ment all hazard classes and categories.

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

### **SECTION 16: Other information**

#### Full text of R-phrases referred to under sections 2 and 3

R12 Extremely flammable.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

### Full text of H-Statements referred to under sections 2 and 3.

according to Regulation (EC) No. 1907/2006



Impulse für Mensch und Umwelt

# E506-AE4 hebro®chaast

Version: 1.6 Revision Date 09.04.2014 Print Date 10.04.2014

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

#### Full text of Notas referred to under section 3

Nota C Some organic substances may be marketed either in a specific isomeric

form or as a mixture of several isomers. In Annex I, a general designation of the following type is sometimes used: "xylenol". In this case the manufacturer or any other person who markets such a substance must state on the label whether the substance is a specific isomer (a) or a mixture of isomers (b). Example: (a) 2,4-dimethylphenol (b) xylenol

(mixture of isomers).

Nota H The classification and label shown for this substance applies to the

dangerous property(ies) indicated by the risk phrase(s) in combination with the category(ies) of danger shown. The manufacturers, importers and downstream users of this substance shall be obliged to carry out an investigation to make themselves aware of the relevant and accessible data which exists for all other properties to classify and label the substance. The final label shall follow the requirements of section 7 of An-

nex VI of this Directive.

Nota L The classification as a carcinogen need not apply if it can be shown that

the substance contains less than 3 % DMSO extract as measured by IP 346. This note applies only to certain complex oil derived substances in

Annex I.

Nota N The classification as a carcinogen need not apply if the full refining his-

tory is known and it can be shown that the substance from which it is produced is not a carcinogen. This note applies only to certain complex

oil derived substances in Annex I.

Nota P The classification as a carcinogen or mutagen need not apply if it can

be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is classified as a carcinogen or mutagen, Note E shall also apply. When the substance is not classified as a carcinogen or mutagen at least the S-phrases (2-)23-24-62 shall apply. This note applies only to certain complex oil-derived

substances in Annex I.

### **Further information**

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.